



MASSEY FERGUSON

MF TH SERIES

100-135 HP

LIFT CAPACITY: 3,000 kg–4,300 kg

LIFT HEIGHT: 5.90 m–7.50 m

**A NEW ERA
FOR STRAIGHTFORWARD
AND DEPENDABLE
AGRICULTURAL
TELEHANDLERS**



MF TH - A NEW ERA

FOR STRAIGHTFORWARD AND DEPENDABLE AGRICULTURAL TELEHANDLERS

Anyone who buys an MF Telehandler today will expect it to fulfil the latest operational standards. They will expect it to combine the very best of today's technologies with comfort, simplicity, ergonomics, ease-of-use and quality day-in, day-out on the farm.

This is a telehandler that embodies all our farming know-how. Because we understand your farm handling needs, we are offering you a true agricultural telehandler, supported by a true and exclusive agricultural dealer network to enable you to carry on with the most demanding handling operations.



MADE TO MAXIMISE UPTIME

A NEW ERA OF SERVICES &
CUSTOMER SUPPORT

32

10 YOUR COMFORTABLE
WORKPLACE
THE CAB ENVIRONMENT

28 SMART & POWERFUL
HYDRAULICS

08 2 SEMI-COMPACT
MODELS

YOUR COMMAND CENTRE

18



- Take it to new heights..... 4
- Your MF TH at a glance..... 6
- MF TH.6030 & MF TH.7030..... 8
- The Cab-live for Comfort & Safety..... 10
- Small Details Makes big Difference..... 13
- Made For You - Specifications Packages..... 16
- MF TH 7" Display - Your Command Centre..... 18
- Made for performance - the engine..... 20
- Hydrostatic transmission..... 22
- Maximum productivity, agility and manoeuvrability..... 26
- Smart & Powerful Hydraulics..... 28
- Made to maximise uptime..... 32
- MF Services..... 34
- Make the MF TH your own - Specifications tables..... 36

DESIGNED BY FARMERS, FOR FARMERS

Our new telehandlers are purpose-built for hard work. Wherever you need a quick, compact solution to many applications, the MF TH Series has the capacity to perform.

Grab silage and muck, lift bales and fertiliser bags, shift feed and clean sheds. Powerful, precise hydraulics allow easy operation of heavy lifting.

Working in tight buildings can often be a challenge. MF TH Series telehandlers are highly manoeuvrable with four steering modes and the option of the MF TH.6030 and MF TH.7030 semi-compact machines. Get the flexibility you need – including all-round visibility and precision handling.

Minimal servicing required which means hardly any downtime!


A VITAL PART OF YOUR WORKING DAY!

TAKE IT TO NEW HEIGHTS!

WELCOME NUMBERS THAT GET THE JOB DONE

Handling jobs effortlessly and efficiently, the new MF TH Series provides you with the optimum accessibility and manoeuvrability required. This new range also gives more lift height, a long reach and the ability to lift heavy payloads. With the right attachment, the MF TH Series can achieve paramount performance in a wide variety of applications around the farm.

MF TH SERIES: YOUR AGRICULTURAL TELEHANDLER



COMPACT MODELS

2.1m x 2.1m semi compact dimensions to easily access the most confined area, 100hp for optimum power to weight ratio, 100 l/min for easy and accurate work.



STANDARD MODELS

More engine power and oil flow for the most demanding handling and transport applications, 135hp and 190 l/min oil flow for reduced full work cycle combined with a cab that offers ultimate comfort, ergonomics and visibility.



YOUR MF TH AT A GLANCE

RAISING THE BAR HIGHER!

With a giant leap in efficiency, productivity, performance, visibility, ergonomics, comfort, cycle times and ease of use, the MF TH is completely transformed. This isn't just an upgrade. It is a breakthrough.

WITH SIX MODELS TO CHOOSE FROM, THIS IS ONE OF THE BEST CHOICES THAT YOU WILL MAKE.

MODELS	MF TH.6030	MF TH.7030	MF TH.6534	MF TH.7035	MF TH.7038	MF TH.8043
MAX. LIFT HEIGHT	5.9m	6.75m	6.5m	7.0m		7.5m
MAX. LIFT CAPACITY	3,000kg		3,400kg	3,500kg	3,800kg	4,300kg
OIL FLOW	100 L/min		190 L/min	100 L/min	190 L/min	
MAX POWER	100hp		135hp	100hp	135hp	
TRANSMISSION	Hydrostatic					

► **Quick hydraulic couplers** for fast, efficient and easy change of equipment with electric line on boom for 4th and 5th electric functions (optional) – see details p.29

► **A full selection of attachments available** to do all the jobs required – see details p.30

► **New powerful and fuel efficient engines.** Now up to 135hp for more productivity, performances and the quietest environment. Easy access for daily maintenance and an automatic fan inverter option for greater reliability & durability – see details p.20

► **Four-speed (2 mechanical x 2 hydraulic) hydrostatic transmission** offers comfort, accuracy, ease-of-use, smooth operation and best in class precision (MF TH.6030 and MF TH.7030 is only fitted with a 2 speed transmission) – see details p.22

► **Automatic Parking Brake** for increased safety and productivity

► **Efficient automatic boom suspension and Cushion Retract** Boom suspension is available for all models for maximum comfort in transport conditions. Cushion Retract is available as standard on all models for more comfort for the operator allowing the boom to retract smoothly with a reduced/controlled speed

► **Smart and powerful hydraulics** All models are fitted as standard with load sensing. Multiple functions can be done at the same time. Now up to 190l/min CCLS oil flow – see details p.28

► **Unbeatable lift capacity** from the high strength boom – up to 7.50m high and 4,300kg

► **Unbeatable comfort, ergonomics and visibility** The MF TH Series cab environment is equipped with the highest levels of comfort and controls, with maximum all-round visibility thanks to the curved shape of the cab on the MF TH.6534, MF TH.7035, MF TH.7038 and MF TH.8043 and the new lowest engine bonnet design. You can now choose from 3 new specifications packages – see details p.10

► **Four semi-automatic selectable steering modes** to provide optimum manoeuvrability in all operating conditions – see details p.27

VIRTUAL REALITY



USE YOUR SMART PHONE TO STEP INSIDE THE MF TH



◀ **STEP 1**
Use a QR code reader app. Download it for free from iTunes or the Android Play store.



◀ **STEP 2**
Open the app and scan this QR code...



◀ **STEP 3**
...and step inside your Massey Ferguson telehandler.

Live the eXperience in 2D, moving your smartphone around in all directions or using your fingers.



◀ **STEP 4**
Live the full VR 3D Experience by clicking on the dedicated icon and use in combination with a pair of VR glasses.

MF TH.6030 & MF TH.7030 - COMPACT DIMENSIONS, OUTSTANDING MANOEUVRABILITY

IF YOU ARE LOOKING FOR A COMPACT MACHINE THAT CAN STILL TACKLE THE TOUGHEST JOBS THEN THE MF TH.6030 AND THE MF TH.7030 ARE THE IDEAL CHOICE.

Their semi-compact design, two cab positions and excellent manoeuvrability ensure unsurpassed performance in tight areas such as narrow barns and poultry buildings.

These telehandlers boast massive lift capacity with the added benefit of being more compact than their bigger counterparts, and comfortable due to the suspended cab as standard.


up to
3t
lift capacity


2.82m


5.9m or
6.75m
heights


2.10m or
2.34m



For a smoother operation when retracting the boom, all MF TH are fitted with a dampened retracting system.

Excellent manoeuvrability ensures hassle-free working days for maximum productivity. The spacious cab and comfortable operator area with fully proportional joystick allow for smooth operation.

Two cab positions for maximum versatility including low position for load operation in narrow buildings. Perfect for jobs where room is limited. The compact design means these models can get in and out of very tight areas without losing visibility and manoeuvrability.





LIVE FOR
COMFORT & SAFETY

THE CAB

THE NEW ERA OF
COMFORT,
VISIBILITY, SAFETY
AND CONTROLS

From the origins of modern tractor design, the Massey Ferguson cab has been renowned for excellence. The superior operator environment consists of a spacious cab interior with excellent all-round operator visibility and a reduced noise level. The cab layout is extremely ergonomic; controls and instruments are easy to use and have been designed to help make applications easier to manage. Because we know that a more productive operator is an operator who creates profit for his business.



2 m³



VISIBILITY
4.6 m²

GLASS SURFACE
providing safety, ease of operation and
control on the job in hand



71 dB
reducing stress and fatigue





MADE FOR
COMFORT & SAFETY

SOMETIMES IT'S THE SMALL DETAILS THAT CAN MAKE A HUGE CHANGE TO YOUR WORKLOAD.

The **NEW OPTIONAL 7" DISPLAY**. The MF TH's easy to read digital dashboard can be personalised and is a 7" touch screen terminal.



The **STANDARD 5" DISPLAY**



EASY AND SECURE ACCESS. Large wide door, steps, rails and tiltable steering column provide best-in-class accessibility to the cab.



Always safe with clear information about your MF TH stability.



ALWAYS CONNECTED - Adjustable phone and tablet holder standard on all models.



BLUETOOTH RDS/MP3 RADIO is available with the optional touch screen terminal allowing hands-free phone calls through the armrest control switch.



Increased visibility in all light conditions with optional road and working LED LIGHTS .

Standard, fully retractable **SUN BLIND**. Two positions: roof only to protect from the sun while maintaining excellent visibility or roof with upper screen for additional sun protection.



NEW WIPERS with 30% increased coverage area. A wide series of options are available from side to top wiper.



RIGHT MIRROR FEATURES. The new position of the mirror – in front of the driver – reduces the total width of the machine allowing easy access to narrow spaces. It ensures the best view during transport and reduce blind spots. Option includes: electric de-icing and electronically adjustable mirror on the right-hand side.



STORAGE Multiple storage spaces available.



NOW PLEASE TAKE YOUR SEAT AND ENJOY COMFORTABLY YOUR WORKING DAY

Massey Ferguson offers the best-in class seat depending on models and options providing outstanding comfort.



CLIMATE CONTROLS easily accessible on the console.



Always get fresh drinks and food courtesy of the lunch box (standard on the exclusive version).



MECHANICAL SUSPENSION available on MF TH.6030 & MF TH.7030.*

PNEUMATIC SUSPENSION with longitudinal suspension. Available on all models.*

HIGH QUALITY PNEUMATIC SUSPENSION longitudinal suspension, heating, Dynamic Damping system. Available on standard models.*

MADE FOR YOU



The MF TH Series is equipped to a high specification as standard, which is complemented by useful optional equipment packages that help you get the job done more easily and efficiently with high levels of comfort and ergonomics.

A helpful choice of different cab environments and packages offers a wide range of all the features and controls you need to tailor your MF TH and make it as individual as your farm.

ESSENTIAL VERSION

EXACTELY WHAT YOU NEED TO GET THE JOB DONE



Essential is the base specification, but it is anything but basic. It provides all the key elements you would expect from MF TH, with a blend of simplicity.

EFFICIENT VERSION

ADVANCED EQUIPMENT TO HEIGHTEN YOUR COMFORT & VERSATILITY AT WORK



Efficient is the medium specification package for the MF TH Series, designed to help you work smarter and get better results.

Dedicated to delivering increased comfort and versatility thanks to its key features, the Efficient package makes your MF TH Agricultural Telehandler fit the needs of those operators requiring power and performance.

EXCLUSIVE VERSION

THE ULTIMATE EXPRESSION OF PRODUCTIVITY AND TOP COMFORT



Exclusive is a combination of high-spec versatility and refinement dedicated to operators looking for a telehandler with advanced features and functions in terms of ergonomics and comfort.

This version is aimed at more intensive, large scale operators seeking cost-effective benefits for the business.

MAKE YOUR MF TH AGRICULTURAL TELEHANDLER AS INDIVIDUAL AS YOUR FARM – LOOK AT FULL STANDARD AND OPTIONAL FEATURES ON PAGE 36.


NEW MF TH 7" DISPLAY MADE FOR CONTROL

THE NEW MF TH RANGE HAS TAKEN CONTROL TO NEW HEIGHTS.

Coming as standard with a new 5" digital dashboard, the new MF TH also offers an optional 7" touch screen terminal allowing you to control all the jobs in hand. It includes music settings & integrated radio, Bluetooth connection and job management.




YOUR MF TH COMMAND CENTRE




Video Mode
Pictures from the on-board camera can be displayed on the console screen, allowing operators to monitor complex implements and handling on the front or simply improve safety and efficiency when reversing (optional rear camera).



Machine parameters settings
All information is available at a glance on the new displays, with intuitive settings for more comfort and productivity. Easy to read and navigate, they'll allow you to control the dashboard and all machine settings: SHS (smart handling system), SMS (speed management system), Steering mode and alignment, Fan reversion timing, DPF management.



Hands Free Phone control
The 7" Terminal has integrated Bluetooth telephone connection. Microphone is integrated in the dashboard below the steering wheel and allows you to get all your phone calls while accessing your contact list directly from the screen.



Hydraulic sequence settings
Standard feature SHS (smart handling system). From the new display menu, the operator will be able to set the max hydraulic flow available. By adjusting the max flow, the machine can be much smoother and more accurate.



Radio and Playlist
Get direct control of your favourite radio channels and your personal music playlist on your phone directly from your MF TH telehandler screen.




Screen Control Pad
This quality automotive feature provides easy navigation on the display and is ideally located on hand in front of the joystick. It allows you to navigate all functions of the terminal you can: take your phone calls, control the radio and select your steering mode very easily.


MADE FOR PERFORMANCE

THE PURE EXPRESSION OF COST EFFECTIVE POWER

The new MF TH, teamed up with the most mature engine SCR technology on the market, is the undisputed sustainable leader delivering class-leading power and torque, with best-in-class total cost of ownership.



▲ A new engine installation and basket design has lowered the height of the engine for improved right hand side visibility. The horizontal cooling package brings optimum cooling capacities.




Plenty of torque is available in applications that demand more traction and force allowing you to work at lower engine revs saving fuel. Power has been increased up to 135hp @2,000 rpm.

MF TH

ENGINE BENEFITS AT A GLANCE

- ▶ Higher work-output at lower engine revs brings higher efficiency and a quieter environment
- ▶ DPF with passive regeneration - No EGR
- ▶ Powerful and efficient with ECO Mode
- ▶ The engine remains parallel to the boom, providing excellent access and improved right-hand side visibility
- ▶ Straightforward technology for a more productive working day
- ▶ Optional automatic fan inverter for easy cooling package cleaning and optimum productivity



AUTOMATIC FAN INVERTER

The MF TH is available with an automatic option to keep the engine clean for maximum efficiency. It offers speed regulation depending on air temperature or working at a pre-set speed, with automatic mode selected via a button on the dashboard. It improves cooling in very dusty environments.



▲ With a reinforced bonnet and bigger opening, MF TH models also benefit from a new bonnet opening handle system keeping maintenance access easy.



-40%
Particle reduction



-4dB
by lower engine revs



+5 HP
power max



LOW MAINTENANCE COSTS



NO COMPROMISE
The de-pollution system is packed up neatly contributing to excellent visibility

SMOOTH OPERATION FROM THE HYDROSTATIC TRANSMISSION

WHEN IT COMES TO DRIVE POWER, WE'VE REALLY SHIFTED UP A GEAR.

The two speed hydrostatic gearbox offers simplicity and smoothness of operation as well as high-performance output and capability. It has speed capabilities of up to 40km/h* with two mechanical gears with two hydraulic speed ranges which allows you to choose the best speed for the application and gives excellent performance in road transport.

It also has an easy-to-set creeper function for operations that demand low speed at higher engine revs providing more accuracy and control for operations such as sweeping, silage distribution, and straw spreading.



“Control in the palm of your hand.”

MADE FOR CONTROL

The Multifun Jostick lever operates the transmission as well as controlling the hydraulics. It includes boom float & bucket shaking for even greater operations efficiency.

All operations are easily to hand for greater comfort.

Settings reduction
Reduce boom's hydraulic flow or maximum machine speed

Hydrostatic Speeds

Settings increase
Increase boom's hydraulic flow or maximum machine speed

Boom 3rd function - can be use with continuous flow or with "Auto-grab" function (if MF TH equipped with 7" display)

Bucket shaking*

Boom extension

Boom Floating position*

Shuttle control switch
Ergonomically placed Forward/Neutral/Reverse button located on the reverse side of the joystick

*Optional for Efficient version

POWER CONTROL LEVER

Coming from the MF tractor ranges, and exclusive and simple, the unique Massey Ferguson Power Control lever provides straightforward three-in-one operation.



YOU CAN:

- shuttle between forward /reverse
- hydrostatic speed change: up and down
- de-clutch
- select neutral

LEAVING YOUR RIGHT HAND FREE TO OPERATE YOUR HANDLING TASK.

A NEW ERA of transmission technology.


THE SMOOTHEST HYDROSTATIC TRANSMISSION IN THE MARKET



HAND THROTTLE – AUTO MODE


Hydrostatic transmission makes it possible to manage engine rpm and forward speed independently. The hand throttle allows the driver to set constant engine rpm.

It allows high engine rpm and low machine speed without braking. When going to neutral: machine is stopped by the transmission, without braking, while engine rpm remains constant. It reduces cost of ownership and is a perfect feature for applications requiring high and constant hydraulic flow or continuous pumping, such as cattle feeding and ground sweeping.



NEW: "DYNAMIC DRIVE" DRIVING MODE

Changes shuttle aggressiveness and throttle response. Depending on applications, or personal preferences, you can choose your favourite driving mode: Soft or Dynamic.



SMS - SPEED MANAGEMENT SYSTEM

You can easily set a maximum speed, using the creeper mode, and activate it with a switch on the lateral panel (0 to 100% with 1% step). Very convenient when very low speed is required, in very tight spaces, providing higher accuracy with special tools.

MF TH TRANSMISSION BENEFITS AT A GLANCE

- ▶ Hydrostatic transmission allows very accurate and very smooth control with 2 hydrostatic gears under load
- ▶ Unique 4 speed transmission providing high power and high performance
- ▶ Choose the best ratios for ergonomic control of the machine
- ▶ Maximum speed can be set thanks to creeper mode. This is perfect for silage distribution
- ▶ New transmission mode (RPM set, and pedal controlling only the speed) including hand throttle



2 or 4 speeds
HYDROSTATIC
transmission



20%
smoother than
previous generation

MAXIMUM PRODUCTIVITY, AGILITY AND MANOEUVRABILITY


THE MF TH SERIES IS A SERIOUS PERFORMER THAT WILL PROVE TO BE INVALUABLE AROUND THE FARM.

Handling jobs effortlessly and efficiently, the MF TH Series provides you with the optimum accessibility and manoeuvrability. The MF TH series also gives you the lift height you need, a long reach and the ability to lift heavy payloads.

Excelling in both loader operations, where plenty of hydraulic flow is provided, through to 40km/h* road transport applications, where power and comfort is essential, each MF Telehandler boasts impressive capabilities, whether you're moving bales or shifting feed.



Turning radius
3.71m
(semi-compact)
3.82m
(standard)



MANOEUVRABILITY

The choice of steering mode and the overhang-less design provide impressive manoeuvrability, courtesy of a reduced turning radius, minimising the risk of damage to machines and buildings when manoeuvring in tight spaces.

AUTOMATIC BOOM SUSPENSION is available, which greatly increases operator comfort, for example when towing a large trailer of straw at 40km/h* during road transportation.



SELECT YOUR PREFERRED STEERING MODE

All models have four selectable steering modes to provide optimum manoeuvrability in all operating conditions. Changing from one mode to another is easy: Just pre-select the mode by pressing the switch in the cab.



TWO-WHEEL steering mode



FOUR-WHEEL steering mode - for minimum turning circles.



CRAB-STEER mode - for efficient filling and grading and working alongside walls in confined spaces.



SEMI CRAB-STEER mode - set rear wheel angle - useful for applications such as silage or barn cleaning.

* Both chassis with 24" tyres

POWERFUL AND SMART HYDRAULICS

GIVE A LIFT TO YOUR PRODUCTIVITY, COMFORT AND SAFETY

A powerful and consistent hydraulic system is paramount to the everyday productivity of your telehandler. There is a load-sensing spool valve management system on all models.

All functions are electro-hydraulic and proportional thanks to a load-sensing hydraulic system. It's very accurate and easy to use, plus it allows you to simultaneously use three functions, increasing productivity and reducing downtime.

There is optimum hydraulic flow across the entire range with 100 l/min on MF TH.6030, MF TH.7030 and MF TH.7035 models and a market-leading flow of 190 l/min on the MF TH.6534, MF TH.7038 and MF TH.8043.

The load-sensing pump that supplies 190 litres of oil per minute on the MF TH.6534, MF TH.7038 and MF TH.8043 offers outstanding capabilities and performance, even at low engine speeds. Therefore, you can work at significantly lower engine speeds, consume less fuel and can count on remarkably shorter working cycles.



High spec boom controls, thanks to 4 electro hydraulic load sensing spool valves, will allow you to simultaneously use 3 functions with high precision. Automatic boom suspension also provides outstanding comfort for all transport applications. Its activation is automatically linked to the speed of the machine.



CONNECTING AND DISCONNECTING is simple thanks to the connector block and its pressure release system. For more demanding implements such as straw choppers and feeding buckets an electric line can be specified, giving a fourth and fifth service.



BUCKET SHAKING is a new optional feature coming together with boom float on the new Joystick. The operator can now easily empty the implement of sticky materials by pressing the blue switch and moving the joystick at the same time.



MF SMART HANDLING SYSTEM. Min and Max height setting, linked to the angle boom.

MAXIMUM HEIGHT - The driver is now able to set a maximum height of boom head by easily activating a switch on the lateral panel when the required height is reached. It will provide more safety and comfort when operating inside a building or while loading, especially with for less regular users.

The **RETURN TO THE GROUND** feature allows the operator to set a working height. When manually lowering the arm, the boom self-retracts and the boom stops when the working position is reached. Increasing productivity, comfort and preventing soil and implement damage.

POWERFUL AND SMART HYDRAULICS

WE OFFER THE PERFECT RANGE OF ATTACHMENTS TO GO WITH THE MF TH TELEHANDLER SERIES TO BE ABLE TO COPE WITH ALL TYPE OF APPLICATIONS.

Bucket, Digging and Loading

Tackle the toughest digging and material handling tasks with our robust digging and loading buckets. They offer good visibility of the cutting edge, excellent breakout force for digging and easier and faster bucket filling. Available in a range of capacities, with or without teeth.

Pallet Forks

Great for handling bulky or bagged materials such as fertilizer, seed and animal feed. Choice of rigid or floating forks available (with sideshift on the rigid fork frame).

Bale Fork

Use it to efficiently transport and load round bales from the ground onto a trailer or into a bale feeder.

Bucket, Large Capacity

Boosts productivity thanks to its increased roll-back angle to minimize spillage.

Use it to load grain to trucks or to distribute fertiliser.

Bucket with Grapple

The ideal attachment to pick up and handle dirt and soil with overgrowth, branches or other bulky materials that need to be firmly grasped during transport.

Fork with Grapple

This is the easy way to handle loose hay, bedding and manure on the farm and other sites. Use the utility fork by itself or add the hydraulic grapple for more gripping power.

Bale Squeeze Handler with Tubes

All the performance of our tined bale handler but with two hydraulic arms in the form of round tubes to ensure a secure hold on single bales.

Bale Squeeze Handler with Tines


Transport and load up to two round bales from the ground to a trailer or bale feeder. The independent hydraulic arms, each equipped with 4 tines, provide a firm grip.




LIFT CAPABILITIES BROUGHT TO NEW HEIGHTS

ILLUSTRATIONS CLEARLY SHOW THAT EACH MODEL OFFERS OUTSTANDING LIFT PERFORMANCE IN ITS RESPECTIVE CLASS


MF TH.6030




MF TH.7030




MF TH.6534




MF TH.7035



MF TH.7038



MF TH.8043



MADE TO MAXIMISE UPTIME

ENHANCED TELEHANDLER OWNERSHIP EXPERIENCE & COMPLETE PEACE OF MIND

Buying, owning and maintaining farm machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business.



FIX YOUR COSTS AND GUARANTEE OPTIMUM PERFORMANCE FOR YOUR MF TH WITH MFCARE.

MF Care Service and extended warranty contracts are flexible to suit your payment and operating hours requirements. Regular servicing provides preventive maintenance – picking up any faults before they become a problem, which helps reduce downtime. A full dealer service history using genuine AGCO Parts will also increase the residual value of the machine.

- ▶ Support maximum residual value of your tractor
- ▶ Flexible terms and long-term price packages
- ▶ Available up to 12 months from registration
- ▶ Experienced MF technicians available for on or off-site servicing

	SILVER	GOLD
DETAILS	REGULAR MAINTENANCE CONTRACTS The Service Package includes all prescribed maintenance work on the basis of fixed prices.	REPAIR CONTRACTS Extended warranty contracts which offer security against repair costs (except wear). Tariffs with or without excess available as an option.
MACHINE TYPE	All	All
REGULAR MAINTENANCE*	YES	YES
REPAIR COST	NO	YES
DEDUCTIBLE	NO	Option: €0, €190, €490

*the list price stated by AGCO refers solely to the extended warranty and doesn't include maintenance.

MASSEY FERGUSON OFFERS A COMPREHENSIVE AND EFFICIENT RANGE OF SERVICES


6,000 hrs 5 years	3,000 hrs 5 years	50,000 bales 5 years	6,000 hrs 5 years	2,000 hrs 3 years <small>ISOBUS compatible machines only</small>	25,000 bales 3 years

THE MF TH TELEHANDLER SERIES HAS BEEN DESIGNED TO PROVIDE FAST, STRAIGHTFORWARD, EASY AND COST-EFFECTIVE ROUTINE MAINTENANCE. Less downtime - more work done. Fast, straightforward and easy routine maintenance thanks to the parallel engine installation. Servicing is straightforward and simple thanks to well positioned service points, taking the stress out of maintaining your telehandler and leaving you with more time.

Side opening of the bonnet gives you wide, open access to the engine, air filter, cooling system and air conditioning system, providing quick serviceability to all the major points.



The air filter is removed easily for checking and cleaning. An optional automatic reverse fan is available if required. Just blow out any dust, straw and other material that may become stuck to the cooling package.



Easily lift the hood to check the engine and radiator. All routine engine, hydraulic and transmission service points are easily located for fast and simple maintenance.



Easy to fill diesel and AdBlue® tanks from ground level.


MFservices

ALWAYS BY YOUR SIDE TO INCREASE YOUR **PROFIT AND EFFICIENCY**

WELCOME TO MF SERVICES – EVERYTHING YOU NEED TO SUPPORT THE OPERATION OF YOUR MF TH TELEHANDLER.

Accessible and adaptable, MF Services will help you control running costs, budgeting and business planning - ensuring each machine's operating hour is a success and giving you the freedom to focus fully on the core business of farming.

This comprehensive suite of service-related-products makes it easier than ever to own and operate Massey Ferguson farm equipment.



MASSEY FERGUSON DEALER NETWORK

Your MF dealer represents the best farm machines expertise in your area. You can always turn to your dealer and receive the best service from sales, maintenance, repair and spare parts to the purchase of a new piece of equipment.

MORE THAN 4,700 SERVICE & REPAIR POINTS WORLDWIDE




MASSEY FERGUSON GENUINE PARTS

REPRESENTS THE BEST GUARANTEE OF SAFEGUARDING THE VALUE OF YOUR NEW MF TH OVER TIME, PROTECTING IT FROM UNPLANNED DOWNTIME.

Choose from an extensive range of accessories including lubricants, AdBlue, care kits, cab accessories and much more. All accessories are available for purchase exclusively from your MF dealer.


Using the smartphone app "AGCO Parts Books to go", you can find MF spare parts quickly and easily and order them directly. The app is available for download in the App Store and in the Google Play Store. Your personal access data is available from your MF dealer.



AGCO FINANCE

PROVIDES THE PERFECT FINANCING ARRANGEMENT FOR YOUR BUSINESS.

AGCO Finance is the integrated financial services arm of Massey Ferguson offering tailor-made solutions to your own farm, which includes Leasing, Loan facilities, Hire purchase, Full service packages and Contract hire including the financing of MF Care extended warranty contracts.



MASSEY FERGUSON COLLECTION

NOW YOU CAN LOOK AS STYLISH AS YOUR MASSEY FERGUSON.

Looking for a cap to match your MF TH Telehandler Series... or a stylish and durable overall to keep working? We have an exclusive range of high quality products to suit you, your farming activity, your family and your lifestyle.

To find out what we have available please login into our online Shop:

Shop.MasseyFerguson.Com

For the above support packages, country terms and conditions apply. Please note all packages may not be available in all markets.

Please check with your local MF Dealer/Distributor.


MAKE THE MF TH YOUR OWN AND AS INDIVIDUAL AS YOUR FARM

	MF TH.6030 MF TH.7030		MF TH.6534 MF TH.7035 MF TH.7038 MF TH. 8043		
	ESS	EFF	ESS	EFF	EXC
Hydraulics					
All hydraulic function proportional and electro hydraulics	●	●	●	●	●
Boom 3rd function with adjustable flow	●	●	●	●	●
Mechanical implement attachment	●	●	●	●	●
Hydraulic implement attachment	○	○	○	○	●
Cushion retract	●	●	●	●	●
Smart Handling System (SHS)	●	●	●	●	●
Automatic boom suspension	○	●	○	●	●
Automatic boom suspension, boom float and bucket shaking	-	○	-	○	●
Continuous 3rd function flow	●	●	●	●	●
Auto 3rd function (Flow and timing setting)	-	○	-	○	●
Boom head 4th & 5th functions (pre-wire)	○	○	○	○	●
A Max and min angle boom setting	●	●	●	●	●
Rear hydraulic line	-	○	-	○	○
Transmission					
Hydrostatic (40 Km/h)	●	●	●	●	●
Inching pedal	●	●	●	●	●
B Power Control Lever (3 functions)	●	●	●	●	●
Forward/Neutral/Reverse button on joystick	●	●	●	●	●
Speed Control System	●	●	●	●	●
Electric Parking Brake	●	●	●	●	●
Transmission dynamic mode	●	●	●	●	●
Hand throttle with pedal speed management	-	●	-	●	●
Engine					
Automatic isolator switch	●	●	●	●	●
Integrated Cyclonic air pre-filter	●	●	●	●	●
Automatic reverse fan	-	●	-	●	●

ESS = Essential version ● Standard specification
 EFF = Efficient version ○ Optional
 EXC = Exclusive version - Not available

	MF TH.6030 MF TH.7030		MF TH.6534 MF TH.7035 MF TH.7038 MF TH. 8043		
	ESS	EFF	ESS	EFF	EXC
Cab					
Removable floor mat	●	●	●	●	●
Mechanical suspension seat	●	-	-	-	-
Air pneumatic seat	○	●	●	○	-
Air pneumatic seat (Heating & automatic setting)	-	-	-	●	●
C Air pneumatic seat (Heating & automatic setting) and Joystick on armrest	-	-	-	○	●
Air conditioning	○	○	○	○	●
Phone holder + USB socket	●	●	●	●	●
Aerial speakers & antenna	●	●	●	●	●
Radio / CD / MP3 / Front Aux-in / Bluetooth / USB connector DAB	○	●	○	●	-
5 " terminal colour display	●	●	●	●	-
D 7" terminal colour display, telephone function, radio, and Job management	-	○	-	○	●
Roof wiper	●	●	●	●	●
Lateral window wiper with washer	-	○	-	○	●
Electric mirror with de-icing on right hand side	-	○	-	○	○
Rotating beacon & Back Up alarm	●	●	●	●	●
White noise back up alarm	○	○	○	○	○
Lunch box	-	-	-	-	●
Steering					
Four steering modes with automatic alignment	●	●	●	●	●
Front axle with differential @ 45% limited slip	-	-	●	●	●

	MF TH.6030 MF TH.7030		MF TH.6534 MF TH.7035 MF TH.7038 MF TH. 8043		
	ESS	EFF	ESS	EFF	EXC
Others					
Protective grill for windshield (front and roof)	○	○	○	○	○
E Work lights	●	●	●	●	●
Work lights for henhouse	○	○	○	○	○
Work lights on boom	○	○	○	○	●
Road LED lights	-	○	-	○	○
Work LED lights	-	○	-	○	●
Tool box	○	○	○	○	○
Hydraulic trailer brake single line	○	○	-	-	-
Hydraulic trailer brake dual lines			○	○	○
Clevis	●	●	●	●	●
Quick height adjustment clevis	○	○	○	○	○
Quick height adjustment automatic clevis	○	○	○	○	○
Hydraulic pick up hitch	○	○	○	○	○
Bucket					
Digging bucket	○	○	○	○	○
Light material bucket	○	○	○	○	○
Pallet fork	○	○	○	○	○
Bale spike	○	○	○	○	○
Grapple bucket	○	○	○	○	○
Grapple fork	○	○	○	○	○
Bale handler (teeth or tube)	○	○	○	○	○



Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

TECHNICAL SPECIFICATIONS

LOADER PERFORMANCE (norm EN 1459: 1998 Annex B)							
	MF TH.6030	MF TH.7030	MF TH.6534	MF TH.7035	MF TH.7038	MF TH.8043	
Max. lift capacity							
at ground level	kg	3,000	3,000	3,400	3,500	3,800	4,300
at full lift height	kg	2,500	2,000	3,400	3,500	3,800	2,600
at load configuration 2m length @ 4 m height	kg	2,000	2,000	3,000	3,000	3,000	3,000
Breakout force	kN	3,600	3,600	6,200	6,200	6,200	7,000
Max. lift height	m	5.9	6.7	6.5	7	7	7.5
Forward reach - boom extended	m	3.13	3.9	3.4	4	4	4.1
Hydraulic system							
Boom - gear pump capacity	l/min	100	100	190	100	190	190
Transmission							
Type	Hydrostatic						
Mechanical gears	-	-	2	2	2	2	
Hydraulic speeds	2	2	2	2	2	2	
1st gear speed*	km/h	9.7	9.7	6	6	6	6
2nd gear speed*	km/h	40	40	12	12	12	12
3rd gear speed*	km/h	-	-	18	18	18	18
4th gear speed*	km/h	-	-	40	40	40	40
Engine							
Capacity/no. cylinders	l/n°	3.4/4	3.4/4	3.4/4	3.4/4	3.4/4	3.4/4
Injection	Common rail						
ISO hp @ 2400 rev/min	hp	100	100	135	100	135	135
Max. torque (ISO 14396)	Nm	430	430	500	430	500	500
Fuel tank capacity	litres	115	115	138	138	138	138
Tyres							
Standard	405/70 R 20		460/70R24		460/70R24		
Optional	400/70 R 24		500/70R24		500/70R24		
Brakes							
Oil immersed							
Weights							
Weight, without implement, 24" tyres	kg	5,555	5,920	6,635	7,415	7,530	8,180
Cycle time (sec) @ maximum engine rpm							
Lift time	5.3	5.3	4.9	8	4.9	6.5	
Lower time	4	4	4.3	6	4.3	5	
Telescope out	5	6.3	3.7	7.1	4.8	5	
Telescope in	3.6	4.2	4	6.5	4.9	4.5	
Crowding time	2.5	2.5	2.3	3	2.3	2.3	
Dumping time	2.4	2.4	2.5	2.7	2.5	2	


* with max speed specified machine

Dimensions

	MF TH.6030	MF TH.6030	MF TH.7030	MF TH.7030	MF TH.6534*	MF TH.7035* MF TH.7038*	MF TH.8043*
	Standard cab	Low position cab	Standard cab	Low position cab			
A	5,712		6,240		5,874	6,074	6,180
B	4,507		5,063		4,669	4,869	4,975
C	4,035		4,185		4,145	4,145	4,246
D	2,334*/2,250**	2,184*/2,100**	2,334*/2,250**	2,184*/2,100**	2,457	2,457	2,457
E	1,671*/1,587**		1,671*/1,587**		1,752	1,752	1,770
F	348*/264**		348*/264**		430	430	430
G	2,820		2,820		2,870	2,870	2,870
H	1,666		1,666		1,895	1,895	1,895
I	2,100		2,100		2,300	2,300	2,300
J	4,817*/4,689**		5,090*/4,975**		4,800	4,944	4,901
K	1,556*/1,383**		1,556*/1,383**		1,111		
L	3,875*/3,717**		3,875*/3,717**		3,714		

All measurements in mm

*24" tyres ** 20" tyres





www.MasseyFerguson.co.uk

www.facebook.com/masseyfergusonUK
[Twitter.com/MF_EAME](https://twitter.com/MF_EAME)
[Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)
www.YouTube.com/MasseyFergusonGlobal



MASSEY FERGUSON® is a worldwide brand of AGCO.
© AGCO SAS. 2021 | A-A-17283 | English



MASSEY FERGUSON