

# MF COMPACT SERIES

20 - 65 HP

RELIABLE  
PERFORMANCE  
**IN A  
COMPACT DESIGN**



# DYNAMIC DESIGN WITH ROBUST EFFICIENCY

The MF Compact range brings together versatility, contemporary styling, and dependable performance to meet the diverse needs of today's operators.

Perfect for estate management, municipal work, equine centres, leisure facilities, and small farms, these tractors deliver the ideal mix of strength and maneuverability for tasks in tight spaces and areas with limited access.

With bold styling inspired by Massey Ferguson's latest design, the MF 1M, MF 1E, MF 2M, and MF 2E series combine a set of features to ensure smooth operation. With nine models across four ranges, the MF Compact series is built for efficiency, adaptability, and low running costs — whatever your day demands.

## KEY FEATURES AT A GLANCE

- ▶ 3 or 4-cylinder engines delivering 20–65 hp, combining reliability with outstanding fuel efficiency
- ▶ Choice of mechanical or hydrostatic transmissions for efficient, economical performance
- ▶ Mid-mounted, forward-folding or rear ROPS with a low folded position for easy access and reduced crop damage
- ▶ Spacious, factory-fitted cabs on selected models, enhanced by air conditioning, a hydraulic joystick, and LED worklights
- ▶ Straightforward open-centre system delivering up to 48 litres/min total flow for a wide range of modern implements
- ▶ Lift capacity up to 1,600 kg for handling diverse tasks with ease
- ▶ Optional 60-inch factory-fitted mower deck with three blades, adjustable cutting heights (20 mm–115 mm), and up to 150 mm ground clearance
- ▶ Wide choice of tyres for agricultural, turf, and industrial applications



## SPECIFICATIONS

	MF 1M.20	MF 1M.25	MF 1M.35	MF 1E.40	MF 1M.40	MF 2M.50	MF 2E.55	MF 2M.55	MF 2M.65
<b>ENGINE</b>									
Power (rpm) @ 2,500	20 (15.5) @ 2,600 rpm	25 (18.9) @ 2,600 rpm	35 (25)	40 (29.4)	40 (29.4)	49 (36.8)	54 (40)	54 (40)	65 (49)
Cylinders/Capacity	3/1,123	3/1,498	3/1,825 Turbo	3/1,825 Turbo	3/1,825 Turbo	4/2,434 Turbo	4/2,434 Turbo	4/2,434 Turbo	4/2,434 Turbo
Fuel tank capacity	28		35	40	35	53	53	53	53
Torque	63	75.6	110	112	125	140	175	188	200
<b>TRANSMISSION TYPE</b>									
	Mechanical (9x9)	Hydrostatic (HST)	Hydrostatic (HST)	Mechanical (8x8)	Hydrostatic (HST)	Hydrostatic (HST)	Mechanical (12x12)	Mechanical (12x12)	Hydrostatic (HST) / Mechanical (12x12)
<b>POWER TAKE-OFF</b>									
Engagement	Sliding gear				Electro hydraulic				
Rear PTO Speeds	540				540/540E				
Mid PTO	–	●	●	–	●	●	–	●	● (Cab)
External rear fender-mounted PTO switch	–	●							
<b>WHEELS AND TYRES</b>									
Agri tyres	Front 6.00-12 Rear 9.5-16	Front 6.00-12 Rear 9.5-16	Front 7-14 Rear 9.5-24	Front 7.0-16 Rear 11.2-24	Front 7-14 Rear 9.5-24	Front 9.5-16 Rear 13.6-28			
Turf tyres	Front 24x8.50-12 Rear 315/75D-15	Front 24x8.50-12 Rear 315/75D-15	Front 24x8.5-12 Rear 315/80D-16	Front – Rear –	Front 24x8.5-12 Rear 315/80D-16	Front 29x12.00-15 Rear 475/65D-20			
Turf tyres	Front – Rear –	Front – Rear –	Front 26x10.5-12 Rear 13.6-16	Front – Rear –	Front 26x10.5-12 Rear 13.6-16	Front 280/70R16 Rear 420/70R24			
Agri tyres	Front – Rear –	Front – Rear –	Front – Rear –	Front – Rear –	Front – Rear –	Front 280/70R16 Rear 420/70R24			
<b>FRONT PTO AND LINKAGE</b>									
Front linkage	–	●	●	–	●	●	–	●	●
Front linkage + PTO	–	–	●	–	●	●	–	●	●
Heavy duty front linkage	–	–	–	–	–	●	–	●	●
<b>REAR AXLE</b>									
Differential Lock	● RHS Pedal	● LHS Pedal	●						
3-point linkage, cat 1	●								
Lift capacity at ball/hook end	kg 600	900	1,200	1,000	1,200	1,580	1,200	1,580	HST: 1,580 / Mech: 1,600
Hydraulic pump capacity	litre/min 21	29	29	28	29	36	32	48	48
<b>REAR SPOOL VALVE</b>									
Spool valves	1	2	2	1	2	2	1	2	2
Foldable ROPS / Cab	ROPS	Cab / ROPS	Cab / ROPS	ROPS	Cab / ROPS	Cab	ROPS	Cab	Cab / ROPS for mechanical transmission
<b>MOWER DECK</b>									
mower deck lateral output 152cm	–	●	●	–	●	–	–	–	–
mower deck mulching 137cm	–	●	●	–	●	–	–	–	–

### KEY

- Standard
- Optional
- Not available
- \* Depending on market legislation

For even greater productivity a range of optional equipment is available. For full details please contact your local Massey Ferguson Dealer.

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.



[www.MasseyFerguson.co.uk](http://www.MasseyFerguson.co.uk)  
[www.facebook.com/masseyfergusonUK](https://www.facebook.com/masseyfergusonUK)  
[x.com/MF\\_EAME](https://x.com/MF_EAME)  
[Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)  
[www.YouTube.com/MasseyFergusonGlobal](https://www.YouTube.com/MasseyFergusonGlobal)  
[Blog.MasseyFerguson.com](http://Blog.MasseyFerguson.com)



MASSEY FERGUSON® is a worldwide brand of AGCO.  
© AGCO Corporation. | A-A-18471 | English



MASSEY FERGUSON

BORN TO **FARM**