MF Mowers, MF Rakes & MF Tedders

MASSEY FERGU

Product Range - 2023



an I and

BORN TO FARM

MF Hay Tools & Forage

Based on experience, innovation and passion.

MF Hay Tools & Forage

Massey Ferguson has always stood for innovative technology, outstanding quality and a personal passion for the service of agriculture. We offer our customers around the world an extremely wide range of products in terms of Mowers, Conditioners, Tedders and Rakes.

Through close contact with farmers and agricultural contractors, our machines are constantly undergoing further development to enhance their performance, efficiency and quality. In this way, even the most diverse markets can benefit from these ongoing improvements. Massey Ferguson's objective is to provide every customer with the optimum solution for their farming requirements.



MACHINE TYPES:

Μ	Drum mower	
DM	Disc mower	
RK	Rake	
TD	Tedder	

Some machines available in selected countries only. The right to technical revision is reserved.

EQUIPMENT VARIANTS:

- DN Three point linkage with floating headstock
- DSR Three point linkage with rigid headstock
- EC Economy
- EL ISOBUS control
- FP Front mounted with pivoting headstock
- FQ Front mounted with 3 dimensional ground adaptation
- ISL Spur gear drive without inner drive shoe
- KC Tine rotor conditioner
- KCB Tine rotor conditioner with belt conveyor
- P Paired running
- PRO Professional
- RC Roller conditioner
- SD Side delivery
- TD X Tedder hook tine
- TL TurboLift system
- TL-V TurboLift Vertical fold
- TR Trailed unit
- TRC Trailed with transport chassis







MF Drum Mowers

Machine designation	Working width (m)	Number of cutting discs	Additional equipment variants
Front mounted, pivoti	ng headstock		
Front mounted, pivotii MF M 294 FP-V	ng headstock 2.86	4	-



Rear mounted, centre a	ittachment		
MF M 304 TL	3.06	4	-



MF Disc Mowers

Machine designation	Working width (m)	Number of mower discs	Additional equipment variants
Course and define wear an		adalah sebagai	

Spur gear drive, rear mounted with inner drive shoe					
	F MF DM 164	1.66	4	-	
	MF DM 205	2.06	5	-	
	MF DM 246	2.42	6	-	
	MF DM 287	2.82	7	-	



Machine designa	tion Working width (m)	Number of mower discs	Additional equipment variants
-----------------	------------------------	-----------------------	-------------------------------------

C	Compact angle drive fr	ront mounted alpi	ne
PA	1E DM 204 EK-S	2.0	1

L	MF DM 204 FK-S	2.0	4	-
	MF DM 254 FP	2.50	4	FP-S
	MF DM 254 FK	2.50	4	-
	MF DM 306 FP-K	3.00	6	-



	Spur gear drive, rear m	ountea without in	ner arive snoe	
FN	/IF DM 246 ISL	2.42	6	-
N	/IF DM 287 ISL	2.82	7	-



Front mower, spur-gea			
HD MF DM 316 FP	3.12	6	KC/RC







KC


Front mower, front more	unted, with three-	dimensional grou	ind adaption
MF DM 316 FQ	3.12	6	KC/RC
MF DM 367 FQ	3.62	7	KC/RC





Compact angle drive, re	ear mounted, cen	tre attachment	
P MF DM 408 TL	4.00	8	-
MF DM 459 TL	4.50	9	-







Rear mounted, centre attachment, vertical fold MF DM 265 TL-V KC/RC 2.60 KC/RC MF DM 316 TL-V 3.10 MF DM 367 TL-V KC/RC 3.60



	Rear mounted, mower			
P	MF DM 9314 EL TL-KCB	9.30	2 x 7	Conveyor belt/ISOBUS
	MF DM 9314 TL-KC	9.30	2 x 7	-



Compact angle drive, t	railed, with centre	support	
P MF DM 306 TR	3.00	6	KC/RC

MF Tedders

Machine designation	Working width (m)	Number of rotors	Tine arms per rotor			
Three-point linkage, alpine						
TD 404 DSR	4.0	4	5			
TD 404 DN	4.0	4	5			
TD 434 DN	4.30	4	6			
TD 576 DN	5.70	6	5			



MF TD 454 DN	4.50	4	6
MF TD 524 DN	5.20	4	6
MF TD 676 DN	6.60	6	6
MF TD 776 DN	7.70	6	6
MF TD 868 DN	8.60	8	6
MF TD 1110 DN	10.70	10	6
	MF TD 454 DN MF TD 524 DN MF TD 676 DN MF TD 776 DN MF TD 868 DN	MF TD 454 DN 4.50 MF TD 524 DN 5.20 MF TD 676 DN 6.60 MF TD 776 DN 7.70 MF TD 868 DN 8.60	MF TD 454 DN 4.50 4 MF TD 524 DN 5.20 4 MF TD 676 DN 6.60 6 MF TD 776 DN 7.70 6 MF TD 868 DN 8.60 8



Transport chassis			
MF TD 776 TRC	7.70	6	6
MF TD 868 TRC	8.60	8	6
MF TD 1008 TRC	10.20	8	6
MF TD 1310 TRC	12.70	10	6

TD X Series high capacity with hook tines				
MF TD 776 X DN	7.70	6	6	
MF TD 1028 X TRC	10.20	8	7	
MF TD 1310 X TRC	12.50	10	7	





MF Rakes

RK 361 DSR



Machine designation	Working width (m)	Number of rotors	Tine arms per rotor/ Double tines per arm
---------------------	----------------------	------------------	---

gle-rotor rake, three-point linkage, rigid headstock, alpine 3 60



10-3

Single-rotor rake, three-point linkage floating headstock				
MF RK 341 DN	3.40	1	8-3	
MF RK 361 DN	3.60	1	10-4	
MF RK 381 DN	3.80	1	10-4	
MF RK 391 DN	3.85	1	10-4	
MF RK 421 DN	4.20	1	12-4	
MF RK 451 DN	4.50	1	12-4	



Single-rotor rake, tra	ctor linkage drawb	ar/hitch	
MF RK 451 TR	4.50	1	12-4



Machine designation	Max. working width (m)	Number of rotors	Tine arms per rotor/ Double tines per arm
---------------------	---------------------------	------------------	---

Two-rotor rake, side swath delivery

MF RK 702 TR-SDX	7.00	2	12-4
MF RK 662 SD-TRC	6.65	2	10/12-4
MF RK 672 SD-TRC	6.70	2	12-4
MF RK 772 SD-TRC	7.70	2	12-4/5
MF RK 842 SD-TRC Gen2	8.40	2	13-4/5
MF RK 842 SD-TRC PRO Gen2	8.40	2	13-4/5
	MF RK 662 SD-TRC MF RK 672 SD-TRC MF RK 772 SD-TRC MF RK 842 SD-TRC Gen2	MF RK 662 SD-TRC 6.65 MF RK 672 SD-TRC 6.70 MF RK 772 SD-TRC 7.70 MF RK 842 SD-TRC Gen2 8.40	MF RK 662 SD-TRC 6.65 2 MF RK 672 SD-TRC 6.70 2 MF RK 772 SD-TRC 7.70 2 MF RK 842 SD-TRC Gen2 8.40 2

Two-rotor rake, centre swath delivery

~	MF RK 662 TRC	6.60	2	10-4
	MF RK 762 TRC	7.60	2	12-4
T	MF RK 802 TRC	8.00	2	12-4
	MF RK 802 TRC PRO	8.00	2	12-4
	MF RK 1002 TRC	10.00	2	15-5
	MF RK 1002 TRC PRO	10.00	2	15-5





Four-rotor rake, centre swath delivery					
MF RK 1254 TRC EC	12.50	4	12-4		
MF RK 1254 TRC Gen2	12.50	4	12-4		
MF RK 1254 TRC PRO Gen2	12.50	4	12-4		
MF RK 1404 TRC PRO Gen2	14.00	4	13-4/5		



Customer Support

Dedicated service and dynamic support

Parts and Service

It's all about a lifetime of support

Buying, owning and maintaining high-spec' machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business.

There's no cut-off time for Parts and Service because a machine may be out of service. We're available to you throughout your ownership of your Massey Ferguson machine.

We take great pride and responsibility in every machine we sell and we make it our mission to keep your machinery running reliably, every time you turn the key.



Maintain the perfect cut and versatile performance in the field.

Don't compromise your Massey Ferguson implement's performance. Ensure you only use Genuine Massey Ferguson replacement parts and accessory kits.

For more information on our range of Genuine Accessories, please ask your nearest dealer.







strations show some of the special quipment. Some machines available in selected countries only. The images provided do not necessarily correspond to the most recent version of standard equipment.



Web: www.MasseyFerguson.com Facebook: www.Facebook.com/MasseyFergusonGlobal Twitter: Twitter.com/MF_EAME Instagram: Instagram.com/MasseyFergusonGlobal YouTube: www.YouTube.com/MasseyFergusonGlobal Blog: Blog.MasseyFerguson.com





BORN TO FARM

MASSEY FERGUSON