

47 - 82 HP
35 - 58 kW

MF200 Xtra

Powerful, high-torque diesel engines and rugged, heavy-duty transmissions



- 2 and 4 wheel drive versions
- High torque, fuel efficient and durable engines
- Efficient Centre Shift Transmissions with logical and progressive gear sequence
- Simple PTO System provides excellent power transfer
- Efficient, easy-to-operate Ferguson 3-point linkage system
- Powerful, high-capacity lift capability
- Large comfortable operator platform with simple, easy-to-use and well-positioned mechanical controls
- Easy service access
- Unrivalled local Customer Support and parts availability
- World-renowned Massey Ferguson heritage, design and engineering

VISION INNOVATION LEADERSHIP QUALITY RELIABILITY SUPPORT PRIDE COMMITMENT




MASSEY FERGUSON

MF 240 Xtra

Specifications

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

Performance	MF 240 Xtra (Standard)	MF 240 Xtra (Orchard)
Rated engine power -  ISO hp (kW)	47 (35)	47 (35)
@ rpm	2200	2200
Max Torque (Nm/rpm)	167Nm/1500	167Nm/1500
Engine		
Type	S325 Diesel	S325 Diesel
Aspiration	Natural	Natural
Capacity (Litres)	2.5	2.5
No. of Cylinders	3	3
Air Cleaner	Dry	Dry
Transmission		
Clutch	Dual Dry Type	Dual Dry Type
8 forward 2 reverse Center Shift	●	●
Power take off		
Type	Live PTO	Live PTO
Speed at Engine RPM	540 @ 1790 engine rpm	540 @ 1790 engine rpm
Hydraulics		
Type	Ferguson System	Ferguson System
Max oil flow/pressure (Liters/bar)	18/176	18/176
Max lift capacity at link ends (kg)	1,450	1,450
Trailer tip pipe	●	●
Steering		
	Hydrostatic	Hydrostatic
Rear axle and brakes		
Brake type	Oil immersed	Oil immersed
Actuation	Mechanical	Mechanical
Parking brake	Hand lever	Hand lever
Differential	Mechanical	Mechanical
Standard wheels and tyres		
Front (pressed wheels)	6.00 x 16	6.00 x 16
Rear	13.6 x 28	24.4 x 24
Weights and Dimensions		
Weight 2wd/4wd (kg)	1,730	1,730
Length 2wd/4wd (mm)	3210	3210
Height over exhaust/canopy (mm)	2170	2170
Wheelbase 2wd/4wd (mm)	1890	1890
Capacities		
Tank Capacity (Litres)	47	47

For even greater productivity a range of optional equipment is available including front weights, rear-wheel weights, two-post folding ROPS frame. For full details please consult your local Massey Ferguson dealer.

- = Optional
- = Not applicable/available
- ⊗ = ISO TR14396



MASSEY FERGUSON

MF 268 Xtra

Specifications

Performance		MF 268 Xtra
Rated engine power	⊕ ISO hp (kW)	63 (47)
	@ rpm	2200
Max Torque	Nm/rpm	226Nm/1400
Engine		
Type		SJ436 Diesel
Aspiration		Natural
Capacity	Litres	3.6
No. of Cylinders		4
Air Cleaner		Dry
Transmission		
Clutch		Dual Dry Type
8 forward 2 reverse Center Shift		●
Power take off		
Type		Live PTO
Speed at Engine RPM		540 @ 1790 engine rpm
Hydraulics		
Type		Ferguson System
Max oil flow/pressure	Litres/bar	18/176
Max lift capacity at link ends	kg	2,050
Trailer tip pipe		●
Steering		
		Hydrostatic
Rear axle and brakes		
Brake type		Oil immersed
Actuation		Mechanical
Parking brake		Hand lever
Differential		Mechanical
Standard wheels and tyres		
Front 2wd		7.50 x 16
Front 4wd		9.5 x 24
Rear		16.9 x 28
Weights and Dimensions		
Weight 2wd/4wd	kg	2,820
Length 2wd/4wd	mm	3890
Height over exhaust/canopy	mm	2520
Wheelbase 2wd/4wd	mm	2050
Capacities		
Tank Capacity	Litres	60

For even greater productivity a range of optional equipment is available including front weights, rear-wheel weights, two-post folding ROPS frame. For full details please consult your local Massey Ferguson dealer.

- = Standard
- = Optional
- = Not applicable/available
- ⊕ = ISO TR14396



MASSEY FERGUSON

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

MF 275 Xtra

Specifications

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

Performance

MF 275 Xtra

Rated engine power	✻ ISO hp (kW)	75 (55)
	@ rpm	2200
Max Torque	Nm/rpm	288Nm/1400

Engine

Type		S440 Diesel
Aspiration		Natural
Capacity	Litres	4.0
No. of Cylinders		4
Air Cleaner		Dry

Transmission

Clutch		Dual Dry Type
8 forward 2 reverse Center Shift		●

Power take off

Type		Live PTO
Speed at Engine RPM		540 @ 1790 engine rpm

Hydraulics

Type		Ferguson System
Max oil flow/pressure	Litres/bar	18/176
Max lift capacity at link ends	kg	2050
Trailer tip pipe		●

Steering

		Hydrostatic
--	--	-------------

Rear axle and brakes

Brake type		Oil immersed
Actuation		Mechanical
Parking brake		Hand lever
Differential		Mechanical

Standard wheels and tyres

Front 2wd		7.50 x 16
Front 4wd		12.4 x 24
Rear		18.4 x 30

Weights and Dimensions

Weight 2wd/4wd	kg	2,780 / 2,950
Length 2wd/4wd	mm	3890 / 3890
Height over exhaust/canopy	mm	2520
Wheelbase 2wd/4wd	mm	2290 / 2290

Capacities

Tank Capacity	Litres	70
---------------	--------	----

For even greater productivity a range of optional equipment is available including front weights, rear-wheel weights, two-post folding ROPS frame. For full details please consult your local Massey Ferguson dealer.

- = Standard
- = Optional
- = Not applicable/available
- ✻ = ISO TR14396



MASSEY FERGUSON

MF 290 Xtra

Specifications

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

Performance		MF 290 Xtra
Rated engine power	⊕ ISO hp (kW)	82 (61)
	@ rpm	2200
Max Torque	Nm/rpm	291Nm/1400
Engine		
Type		S440 Diesel
Aspiration		Natural
Capacity	Litres	4.0
No. of Cylinders		4
Air Cleaner		Dry
Transmission		
Clutch		Dual Dry Type
8 forward 2 reverse Sliding Spur		●
Power take off		
Type		Live PTO
Speed at Engine RPM		540 @ 1790 engine rpm
Hydraulics		
Type		Ferguson System
Max oil flow/pressure	Litres/bar	18/176
Max lift capacity at link ends	kg	2050
Trailer tip pipe		●
Steering		
		Hydrostatic
Rear axle and brakes		
Brake type		Oil immersed
Actuation		Mechanical
Parking brake		Hand lever
Differential		Mechanical
Standard wheels and tyres		
Front 2wd		7.50x16
Front 4wd		12.4 x 24
Rear		18.4x30
Weights and Dimensions		
Weight 2wd/4wd	kg	2880 / 3010
Length 2wd/4wd	mm	3890 / 3890
Height over exhaust/canopy	mm	2520
Wheelbase 2wd/4wd	mm	2290 / 2290
Capacities		
Tank Capacity	Litres	70

For even greater productivity a range of optional equipment is available including front weights, rear-wheel weights, two-post folding ROPS frame. For full details please consult your local Massey Ferguson dealer.

- = Standard
- = Optional
- = Not applicable/available
- ⊕ = ISO TR14396



MASSEY FERGUSON



MASSEY FERGUSON



Web: www.masseyferguson.com/en_za
Facebook: www.facebook.com/MasseyFergusonSA
Twitter: [Twitter.com/MF_EAME](https://twitter.com/MF_EAME)
Instagram: [Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)
YouTube: www.YouTube.com/MasseyFergusonGlobal
Blog: Blog.MasseyFerguson.com

AGCO South Africa Marketing
16 Pomona Road, Kempton Park, Gauteng, 1619



MASSEY FERGUSON® is a worldwide brand of AGCO.
© AGCO South Africa. 2021 | 17343 | English